

**A Handbook on Low-Energy Buildings and District Energy Systems:  
Fundamentals, Techniques, and Examples**

L.D. Danny Harvey

Department of Geography  
University of Toronto  
100 St George Street  
Toronto Canada M5S 3G3

harvey@geog.utoronto.ca

Anticipated Publication: July 2006 by James and James (London)

# Table of Contents

Preface

Technical Preface

Acknowledgements

List of Acronyms and Abbreviations

## **Chapter 1: Environmental and Energy-Security Imperatives**

- 1.1 The Climatic Imperative
  - 1.1.1 Past changes of climate
  - 1.1.2 Prospective future changes of climate
  - 1.1.3 The United Nations Framework Convention on Climate Change
  - 1.1.4 Threats to ecosystems, food production, and human security
  - 1.1.5 Stabilization of atmospheric CO<sub>2</sub> concentration at 450 ppmv or less
- 1.2 Local and regional air pollution and other environmental impacts of fossil fuels
- 1.3 Energy-security imperatives
- 1.4 Sustainable buildings
  - 1.4.1 Defining sustainability
  - 1.4.2 Kaya decomposition of future CO<sub>2</sub> emissions
  - 1.4.3 Implications for building energy intensity

## **Chapter 2: Energy Basics, Climate and Meteorological Data, Organizational Strategy**

- 2.1 Energy concepts
- 2.2 Energy use in OECD countries and in buildings
  - 2.2.1 Breakdown of OECD energy use by sector
  - 2.2.2 Breakdown of building energy use by end use
  - 2.2.3 Energy use per unit floor area by country, building type, and energy source
- 2.3 Comparative energy costs
- 2.4 Emissions of greenhouse gases
  - 2.4.1 Emissions of CO<sub>2</sub> and CH<sub>4</sub> from the use of fossil fuels
  - 2.4.2 Emission of CO<sub>2</sub> during the manufacture of cement
  - 2.4.3 Emissions of halocarbon gases and Global Warming Potential (GWP)
- 2.5 Climatic indices of heating and cooling requirements
- 2.6 Meteorological data
- 2.7 Strategy for the remaining chapters

## **Chapter 3: Thermal Envelope and Building Shape, Form, and Orientation**

- 3.1 Processes of heat transfer

- 3.1.1 Conduction and convection
- 3.1.2 Exchange of air between inside and outside
- 3.1.3 Radiative transfer
- 3.1.4 Measuring the resistance to heat flow
- 3.1.5 Heat loss from basements
  
- 3.2 Insulation
  - 3.2.1 Conventional insulation
  - 3.2.2 Computation of composite insulation resistance
  - 3.2.3 Structural Insulation Panels
  - 3.2.4 Dynamic insulation
  - 3.2.5 Insulation of concrete and masonry walls
  - 3.2.6 External Insulation and Finishing Systems (EIFSs)
  - 3.2.7 Evacuated panels
  - 3.2.8 Transparent and translucent insulation
  - 3.2.9 Radiant barriers
  - 3.2.10 Framing and insulation systems in existing advanced houses
  
- 3.3 Windows
  - 3.3.1 Extra layers of glass (glazing)
  - 3.3.2 Use of alternative gases between window panes
  - 3.3.3 Use of low-emissivity coatings
  - 3.3.4 Vacuum windows
  - 3.3.5 Readily-available low-conductivity frames and spacers
  - 3.3.6 Computation of window U-values
  - 3.3.7 Transmission of solar radiation through windows
  - 3.3.8 Variation of inner surface temperature with window properties
  - 3.3.9 Air leakage through windows
  - 3.3.10 Thermal properties of readily-available and advanced windows
  - 3.3.11 Optimizing the trade-off between window U-value and SHGC
  - 3.3.12 Windows as net heat sources in cold winter climates
  - 3.3.13 Acoustical performance in relation to thermal properties
  - 3.3.14 Impact of insect screens
  - 3.3.15 Electrochromic windows
  - 3.3.16 Thermochromic glazing
  - 3.3.17 Silica aerogel spacers and layers
  - 3.3.18 Curtain walls in commercial buildings
  - 3.3.19 Comparison of energy savings and energy cost
  - 3.3.20 Capital cost premium and net capital cost premium of high-performance windows
  
- 3.4 Double-skin façades
  - 3.4.1 Types of construction and examples
  - 3.4.2 Energy-use and other benefits
  - 3.4.3 Capital cost, net capital cost, and payback time
  
- 3.5 Rooftop gardens

- 3.6 Doors
- 3.7 Air leakage
  - 3.7.1 Air leakage in houses
  - 3.7.2 Air leakage in commercial buildings
- 3.8 Life-cycle cost analysis and the choice of building envelope
  - 3.8.1 Lifecycle cost versus insulation level
  - 3.8.2 Downsizing of heating and cooling equipment
  - 3.8.3 Ancillary benefits of high-performance envelopes
- 3.9 Building shape, form, and orientation
- 3.10 Summary and synthesis

## **Chapter 4: Heating Systems**

- 4.1 Passive solar heating
  - 4.1.1 Solar irradiance on walls or windows of different orientation
  - 4.1.2 Direct gain
  - 4.1.3 Solar air collectors
  - 4.1.4 Benefits and limitations of thermal mass
  - 4.1.5 Trombe walls
  - 4.1.6 Phase-change materials for heat storage
  - 4.1.7 Air-flow windows
  - 4.1.8 Double-skin façades
  - 4.1.9 Perforated unglazed solar walls
  - 4.1.10 Integrated PV-solar collector systems
  - 4.1.11 Seasonal and diurnal variation in thermally-driven flow rates
  - 4.1.12 Atria and sunspaces
  - 4.1.13 Earth-pipe preheating of ventilation air
- 4.2 On-site non-solar heating systems for single-family houses
  - 4.2.1 Furnaces
  - 4.2.2 Fireplaces and wood-burning stoves
  - 4.2.3 Dispersed kerosene heaters
  - 4.2.4 Electric-resistance heating
  - 4.2.5 Air-source, ground-source, and exhaust-air heat pumps
  - 4.2.6 Hot-water boilers
  - 4.2.7 Combined space and domestic hot water heaters
  - 4.2.8 Furnace cost versus capacity
- 4.3 Boilers in commercial and multi-unit residential buildings
  - 4.3.1 Full-load efficiency
  - 4.3.2 Part-load efficiency
  - 4.3.3 Constraints on the use of condensing boilers

- 4.3.4 Boiler cost versus capacity
- 4.4 Correct estimation of heating loads to avoid oversizing of equipment
- 4.5 District heating
- 4.6 On-site cogeneration
  - 4.6.1 Cost and performance of cogeneration equipment
  - 4.6.2 Matching heating loads and electricity production
  - 4.6.3 Primary-energy implication of cogeneration with absorption chilling
  - 4.6.4 Summary of conditions for reducing use of primary energy
- 4.7 Summary and synthesis

## **Chapter 5: Heat Pumps**

- 5.1 Operating principles
- 5.2 Heat-pump performance
  - 5.2.1 Performance of the compression-expansion cycle
  - 5.2.2 Performance of the heat exchangers
  - 5.2.3 Impact of the reversing valve
  - 5.2.4 Seasonal performance factor
- 5.3 Air-source and ground-source heat pumps
  - 5.3.1 Subsurface temperature variation
  - 5.3.2 Energy savings using GSHPs
  - 5.3.3 Sustainability of GSHP systems
  - 5.3.4 Pumping energy used with GSHPs
  - 5.3.5 Non-energy benefits of GSHPs
  - 5.3.6 Economics of GSHPs
- 5.4 Exhaust-air heat pumps
- 5.5 Effect of heating and cooling distribution temperatures
- 5.6 Part-load performance
- 5.7 Hydronically-coupled heat pumps
- 5.8 Working fluids
  - 5.8.1 Carbon dioxide
  - 5.8.2 Hydrocarbons
  - 5.8.3 Water
- 5.9 Heat pump sizing and diurnal thermal storage
  - 5.9.1 Auxiliary electric-resistance heating coil
  - 5.9.2 Downsizing heat pumps through diurnal thermal energy storage
  - 5.9.3 Downsizing the ground loop through zonation
  - 5.9.4 Downsizing the ground loop by decoupling sensible and latent cooling loads
- 5.10 Seasonal underground storage of thermal energy

- 5.11 Heat pumps for domestic hot water
- 5.12 Integrated heating, hot water production, and air conditioning
  - 5.12.1 Heat-pump based heat-recovery ventilation systems
  - 5.12.2 Matching heating and cooling requirements
  - 5.12.3 Integrated diurnal heating and cooling thermal-energy storage
- 5.13 Solar-assisted heat pumps
  - 5.13.1 Space heating
  - 5.13.2 Domestic hot water
- 5.14 Heat-pump plus power-plant system efficiency and comparative CO<sub>2</sub> emissions
- 5.15 Summary and synthesis

## **Chapter 6: Cooling Loads and Cooling Devices**

- 6.1 Physical principles
  - 6.1.1 Sensible and latent heat
  - 6.1.2 Dewpoint, drybulb, and wetbulb temperatures
  - 6.1.3 Construction and use of the psychrometric chart
  - 6.1.4 Conventional dehumidification
- 6.2 Reducing the cooling load
  - 6.2.1 Building shape and orientation
  - 6.2.2 Albedo and vegetation
  - 6.2.3 Insulation
  - 6.2.4 Direct shading
  - 6.2.5 Windows
  - 6.2.6 Thermal mass
  - 6.2.7 Air tightness to reduce sensible heat and moisture influxes
  - 6.2.8 Differences between designs appropriate for hot-dry and hot-humid climates
- 6.3 Passive and passive-low-energy cooling
  - 6.3.1 Natural ventilation
  - 6.3.2 Double-skin façades for shading and passive ventilation
  - 6.3.3 Night-time passive and mechanical ventilation
  - 6.3.4 Hybrid natural and mechanical ventilation
  - 6.3.5 Acoustical considerations with passive and hybrid ventilation
  - 6.3.6 Night-time radiant cooling
  - 6.3.7 Evaporative cooling
  - 6.3.8 Underground earth-pipe cooling
  - 6.3.9 Impact of projected warming
- 6.4 Residential air conditioners and dehumidifiers
  - 6.4.1 Full-load efficiency of air conditioners

- 6.4.2 Part-load behaviour of air conditioners
- 6.4.3 Impact of thermal pollution from air conditioners in dense developments
- 6.4.4 Stand-alone dehumidifiers
- 6.4.5 Alternatives to air conditioners in multi-unit residential and small commercial buildings
- 6.5 Commercial air conditioners and vapour-compression chillers
  - 6.5.1 Packaged roof-top air conditioners
  - 6.5.2 Electric chillers
  - 6.5.3 Mechanically-driven chillers
  - 6.5.4 Vapour-compression chiller cost versus capacity
- 6.6 Heat-driven chillers and dehumidifiers
  - 6.6.1 Ejector chillers
  - 6.6.2 Absorption chillers
  - 6.6.3 Adsorption chillers
  - 6.6.4 Solid-desiccant and liquid-desiccant dehumidifiers
  - 6.6.5 Hybrid chillers
- 6.7 Tradeoffs involving the choice of refrigerant
- 6.8 Correct estimation of cooling loads to avoid oversizing of equipment
- 6.9 Efficiency trade-offs with off-peak air conditioning
  - 6.9.1 Impact of ice thermal storage on on-site energy use
  - 6.9.2 Day-night difference in the energy required to generate and transmit a kWh of electricity
  - 6.9.3 Role of alternative phase-change materials
  - 6.9.4 Capital costs of systems with and without thermal energy storage
- 6.10 Cooling towers
  - 6.10.1 Part-load operation
  - 6.10.2 Free cooling
  - 6.10.3 Solar-assisted air flow
- 6.11 Water consumption by chillers, evaporative coolers, and power plants
  - 6.11.1 Direct water consumption by evaporative cooling and by chillers
  - 6.11.2 Water consumption by thermal power plants
  - 6.11.3 Total water consumption with different methods of cooling
- 6.12 Summary and synthesis

## **Chapter 7: Heating, Ventilation, and Air Conditioning (HVAC) Systems**

- 7.1 Physical principles

- 7.1.1 Heat transfer by circulating air or water
- 7.1.2 Energy used to move air or water
- 7.1.3 Fan or pump efficiency and matching of fan or pump and system pressure changes
- 7.1.4 Cooling-dehumidification trajectories
- 7.2 Human comfort and the perception of temperature
  - 7.2.1 Perceived temperature
  - 7.2.2 Role of air movement
  - 7.2.3 Role of humidity
  - 7.2.4 Acceptable temperature-humidity-air speed combinations
  - 7.2.5 Impact of temperature on perceived air quality
  - 7.2.6 Building bioclimatic charts and the climatic range of alternative cooling techniques
- 7.3 HVAC systems in residential buildings
  - 7.3.1 Residential heat or coldness distribution
  - 7.3.2 Energy used in distributing heat or coldness
  - 7.3.3 Ventilation and heat-recovery ventilators
  - 7.3.4 Interaction between mechanical and uncontrolled ventilation
  - 7.3.5 Ceiling fans
  - 7.3.6 Energy losses associated with leaky, uninsulated, and imbalanced ductwork
  - 7.3.7 HVAC systems in advanced houses
  - 7.3.8 Ventilation systems for multi-unit residential buildings
- 7.4 HVAC systems in commercial buildings
  - 7.4.1 Heating system component
  - 7.4.2 Water-loop heat pump systems
  - 7.4.3 All-air cooling systems
  - 7.4.4 Chilled-ceiling (CC) and chilled-beam cooling
  - 7.4.5 Displacement ventilation
  - 7.4.6 Demand-controlled ventilation
  - 7.4.7 Task/ambient conditioning
  - 7.4.8 Floor radiant cooling
  - 7.4.9 Sensible heat exchangers
  - 7.4.10 Using heat pipes to reduce the amount of energy used for dehumidification
  - 7.4.11 Dehumidification and cooling systems using solid desiccants
  - 7.4.12 Dehumidification and cooling systems using liquid desiccants
  - 7.4.13 Membrane sensible and latent heat exchangers
  - 7.4.14 Cogeneration, desiccant dehumidification, and radiant-slab cooling
  - 7.4.15 Insulating and sealing ducts
  - 7.4.16 Variable flow in hydronic heating and cooling systems
  - 7.4.17 Laboratories and fume-hoods
- 7.5 Commissioning, control systems, and monitoring
- 7.6 Summary and synthesis



## **Chapter 8: Domestic Hot Water**

- 8.1 Embodied energy of water
- 8.2 Reducing water use
- 8.3 Water heating
  - 8.3.1 Single-family stand-alone water heaters and storage tanks
  - 8.3.2 Integrated space and hot-water heating systems
  - 8.3.3 Commercial boilers
  - 8.3.4 Tankless and point-of-use water heaters
  - 8.3.5 CO<sub>2</sub> heat pumps
  - 8.3.6 Solar hot-water heaters
- 8.4 Recovery of heat from warm wastewater
  - 8.4.1 Types of waste-water heat-recovery systems
  - 8.4.2 Specific examples
  - 8.4.3 Integration with water recycling
- 8.5 Standby, parasitic, and distribution energy losses in hot-water systems
  - 8.5.1 Minimizing standby and distribution losses in single-family houses
  - 8.5.2 Minimizing energy and water wasted in houses while waiting for hot water to arrive
  - 8.5.3 Minimizing losses in multi-unit-residential, commercial, and educational buildings
- 8.6 Recovery of heat for preheating water in commercial buildings
  - 8.6.1 Differences between chillers and heat pumps for heating water
  - 8.6.2 Using chillers to recover heat
- 8.7 Summary and synthesis

## **Chapter 9: Lighting**

- 9.1 Types of electric lighting
- 9.2 Measuring the efficiency of lamps in producing light
  - 9.2.1 Impact of age
  - 9.2.2 Availability and impact of dimming
- 9.3 Daylighting in buildings
  - 9.3.1 Techniques
  - 9.3.2 Control systems

- 9.3.3 Energy savings
- 9.3.4 Current design practice
- 9.4 Residential lighting
- 9.5 Advanced lighting systems in commercial buildings
  - 9.5.1 Lighting-system savings
  - 9.5.2 Task/ambient lighting and light requirements for different tasks
  - 9.5.3 Interaction with the HVAC system
- 9.6 Athletic and industrial facilities
- 9.7 Integrated daylighting-photovoltaic energy systems
- 9.8 Prospects for yet further advances in lighting technology
- 9.9 Summary and Synthesis

## **Chapter 10: Appliances, Consumer Electronics, Office Equipment, and Elevators**

- 10.1 Appliance energy use
  - 10.1.1 Refrigerator/Freezer units
  - 10.1.2 Clothes washers
  - 10.1.3 Clothes dryers
  - 10.1.4 Dishwashers
  - 10.1.5 Ovens
  - 10.1.6 Cooktops (stoves)
- 10.2 Consumer electronics
- 10.3 Office equipment
- 10.4 Voltage Transformers
- 10.5 Elevators
- 10.6 Summary and synthesis

## **Chapter 11: Active Collection and Transformation of Solar and Wind Energy**

- 11.1 Availability of solar energy
  - 11.1.1 Illustrative calculations
  - 11.1.2 Surface Meteorology and Solar Energy dataset
- 11.2 Photovoltaic solar energy
  - 11.2.1 Kinds of PV solar cells and their efficiency
  - 11.2.2 Effect of temperature on module efficiency
  - 11.2.3 Voltage/current variation and maximum power-point tracking
  - 11.2.4 System efficiency
  - 11.2.5 Illustrative costs of PV electricity
  - 11.2.6 Global PV-power market
- 11.3 Building-integrated PV panels

- 11.3.1 Styles of integration
- 11.3.2 Cost and benefits of BiPV electricity
- 11.3.3 Direct coupling to fans
- 11.3.4 Potential electricity production from BiPV
- 11.3.5 Reduction in cooling loads
- 11.4 Solar thermal energy for heating and hot water
  - 11.4.1 Types of solar collectors
  - 11.4.2 Efficiency of solar collectors
  - 11.4.3 Solar water heating
  - 11.4.4 Solar combisystems
  - 11.4.5 Comparative cost and performance of solar-thermal systems
  - 11.4.6 Global solar-thermal market
- 11.5 Solar thermal energy for air conditioning
  - 11.5.1 Solar-powered ejector cooling
  - 11.5.2 Solar-powered absorption chillers
  - 11.5.3 Solar-powered adsorption chillers
  - 11.5.4 Solar-powered desiccant dehumidification and cooling
  - 11.5.5 Comparative efficiency of solar-cooling systems
  - 11.5.6 Hybrid electric-thermal cooling using parabolic solar collectors
- 11.6 Solar cogeneration: Integrated PV modules and thermal collectors
- 11.7 Energy payback time for PV and PV/T modules
- 11.8 Building-integrated wind turbines
- 11.9 Summary and synthesis

**Chapter 12: Comparison of Embodied Energy, Operating Energy, and Associated Greenhouse Gas Emissions**

- 12.1 Determining the embodied energy of building materials
- 12.2 Special considerations with regard to cement and concrete
- 12.3 Special considerations for residential roofing materials
- 12.4 Comparison of embodied energy and operating energy
  - 12.4.1 Potential trade-offs involving advanced buildings
  - 12.4.2 Modern versus traditional building materials
- 12.5 Halocarbon greenhouse gas emissions associated with foam insulation
- 12.6 Summary and synthesis

## **Chapter 13: Demonstrated Energy Savings in Advanced New Buildings and the Role of the Design Process**

- 13.1 Energy-related provisions of building codes
  - 13.1.1 US and Canadian building energy codes
  - 13.1.2 European building energy codes
  - 13.1.3 Japanese and Chinese building energy codes
- 13.2 Advanced residential buildings
  - 13.2.1 Characteristics and performance of built and simulated advanced houses
  - 13.2.2 Moving beyond isolated examples
- 13.3 Advanced commercial buildings and the design process
  - 13.3.1 Integrated design process
  - 13.3.2 Building-simulation software
  - 13.3.3 Use of building-simulation models within the design profession
  - 13.3.4 Greater energy savings can cost less than smaller energy savings
- 13.4 Building rating systems
  - 13.4.1 BREEAM
  - 13.4.2 LEEDS
  - 13.4.3 HK-BEAM
  - 13.4.4 HERS and EnerGuide for Houses
- 13.5 Summary and synthesis

## **Chapter 14: Energy Savings Through Retrofits of Existing Buildings**

- 14.1 Conventional retrofits of houses and apartments
  - 14.1.1 Simple, low-cost measures
  - 14.1.2 Extensive retrofits and renovation
- 14.2 Conventional retrofits of institutional and commercial buildings
  - 14.2.1 Measures for commercial buildings
  - 14.2.2 Examples of deep energy-saving retrofits in commercial buildings
- 14.3 Solar retrofits of residential, institutional, and commercial buildings
- 14.4 Assessment tools
- 14.5 Summary and synthesis

## Chapter 15: Community-Integrated Energy Systems

- 15.1 Generation of electricity from coal and natural gas
  - 15.1.1 Pulverized-coal power plants
  - 15.1.2 Electricity from natural gas
  - 15.1.3 Integrated gasification/combined-cycle
- 15.2 Cogeneration and trigeneration
  - 15.2.1 Condensing, back-pressure, and extraction steam turbines
  - 15.2.2 Efficiency of heat recovery in combined cycle and/or cogeneration plants
  - 15.2.3 Trade-off between increased useful heat and reduced electricity production
  - 15.2.4 Ratio of electricity to useful heat in cogeneration
  - 15.2.5 Efficiency and cost in generating electricity through cogeneration
  - 15.2.6 System efficiency when chilled-water is produced through trigeneration
- 15.3 District heating and district cooling
  - 15.3.1 Hot-water versus steam district heating systems
  - 15.3.2 Efficient operation of centralized heating facilities
  - 15.3.3 Tapping into other sources of heat
  - 15.3.4 Accommodating low distribution temperatures
  - 15.3.5 Opportunities for cascading of heat flow
  - 15.3.6 Efficient operation of centralized chilling facilities
  - 15.3.7 Utilizing dispersed heat sinks
  - 15.3.8 Opportunities for centralized storage of coldness (Coolth)
  - 15.3.9 Capital cost and economies of scale
  - 15.3.10 Use of district energy systems today and targeted future use
- 15.4 Seasonal underground storage of thermal energy
  - 15.4.1 Kinds of underground thermal-energy storage
  - 15.4.2 Historical development and current examples
  - 15.4.3 Computer simulation for optimization
- 15.5 Utilization of renewable energy with district energy systems
  - 15.5.1 Use of biomass energy for district heating
  - 15.5.2 Use of geothermal energy for district heating
  - 15.5.3 Solar-assisted district heating
  - 15.5.4 Hybrid biomass/solar district heating systems
  - 15.5.5 Use of deep lake water and deep seawater for district cooling
  - 15.5.6 Wind-energy buffer
  - 15.5.7 Making the transition to the hydrogen economy
- 15.6 Summary and synthesis

**Chapter 16: Summary and Conclusions**

- 16.1 Summary of technologies, development status, and applicability
- 16.2 Summary of energy-savings potential
- 16.3 Summary of costs
- 16.4 Policy directions
- 16.5** Is sustainability feasible?

**Appendix A: Units and Conversions**

**Appendix B: Physical Constants**

**Appendix C: Activities of the International Energy Agency Related to Buildings**

**Appendix D: Building-Simulation Software**

**Appendix E: Web Sites Pertaining to High-Performance Buildings**

**Appendix F: University Programs Pertaining to High-Performance Buildings**

**Appendix G: Annotated Guide to Books for Further Reading**

**Index**

**References**

## **List of Boxes**

- Box 3.1 Determination of the Total Thermal Resistance of a Wall
- Box 3.2 Computing the U-value of a Window
- Box 3.3 Solar Heat Gain Coefficient for a Single Pane of Glass
- Box 3.4 Pressure Distribution Inside a Heated Building
- Box 4.1 Tradeoffs Involving Solar Hot Water Heating and On-Site Cogeneration
- Box 5.1 Principles Behind the Operation of an Electric Vapour-Compression Heat Pump
- Box 6.1 Determination of Relative Humidity from Drybulb and Wetbulb Temperatures
- Box 6.2 Determination of the Output of Direct, Indirect, and Indirect-Direct Evaporative Coolers
- Box 6.3 Kinds of Compressors and Operating Principles
- Box 6.4 Principles Behind the Operation of an Absorption Chiller
- Box 6.5: Principles governing the COP of solid-desiccant chilling systems
- Box 7.1: Negative Feedback (Damping) of Temperature Changes
- Box 7.2 Tradeoff between energy saved and energy used by a heat recovery ventilator
- Box 11.1 Intensity of Solar Radiation on an Inclined or Vertical Flat Surface
- Box 11.2 Worldwide Solar Roofs Programmes
- Box 11.3 Economics of PV electricity and Solar-Thermal Energy
- Box 13.1 The Importance of Process in Designing High-Performance Buildings
- Box 13.2 Checklist for the Design of Commercial Buildings with Low Energy Use





## Data on Buildings book

Chapter	Figures	Tables	Boxes	Equations in Main Text
1	9	4	0	0
2	10	6	0	0
3	44	23	4	15
4	19	6	1	1
5	9	7	1	9
6	79	18	5	18
7	31	13	2	14
8	3	6	0	0
9	28	7	0	5
10	6	7	0	0
11	37	16	3	3
12	3	10	0	0
13	2	17	2	0
14	14	6	0	0
15	16	14	0	4
16	0	3	0	0
A	0	4	0	0
B	0	1	0	0
C	0	3	0	0
D	0	1	0	0
Total	310	172	18	69

<b>Word Counts:</b>	Preface	1843
	Text	258073
	Text footnotes	2855
	Boxes	11407
	Appendices	12368
	<b>Subtotal</b>	<b>286546</b>
	Fig Caps	11525
	<b>Total</b>	<b>298071</b>

**References:** 1484